RF PECK

Commercial HVAC Equipment

2020 Stock Catalog



Sales Offices

ALBANY, NEW YORK
22 Computer Dr West
Albany, NY 12205
Tel (518) 869-3541
Fax (518) 869-5718

BUFFALO, NEW YORK
132 Cayuga Road
Buffalo, NY 14225
Tel (716) 276-8933

ROCHESTER, NEW YORK
889 Atlantic Avenue
Rochester, NY 14609
Tel (585) 697-0836

SYRACUSE, NEW YORK
6412 Baird Avenue
Syracuse, NY 13206
Tel (315) 471-0105
Fax (315) 471-2045

Warehouse Locations: Rochester & Syracuse

IMMEDIATE SHIPPING OR PICKUP AVAILABLE • VISA MasterCard AMERICAN EXPRESS • www.rfpeck.com



For all equipment use:

.60 Multiplier

Plus freight*

*If not directly picked up from the warehouse



Syracuse Warehouse

6412 Baird Avenue
Syracuse, NY 13206
315-471-0105 phone
315-471-2045 fax

***** Warehouse entrance is on North Ave., off of New Court Ave. on backside of building *****



Table of Contents

Items	Page
Access Doors	16
Brick Vents	16
Ceiling Fans	12
Dampers	15
Diffusers	3,4
Equipment Rails	8
Fan Accessories	8,13
Grilles	5,6
Louvers	16
Pipe Portals	8
RG&D Accessories	7
Roof Caps	14
Roof Fans	10
Variable Frequency Drives	19
VAV's & Coils	8
Vibration Hangers/Isolators	17,18
Wall Caps	14

TERMS & CONDITIONS

Prices: **Prices are F.O.B Syracuse, New York. Prices are subject to change without notice.**

Terms: **All orders are to be paid with either cash, bank approved check, or credit card unless prior credit has been approved. Credit terms to be Net thirty (30) days from date of invoice. A service charge of 1 ½% per month will be charged after thirty (30) days until payment is received. Also reasonable attorneys' fees in the amount of fifteen percent (15%) of outstanding balance shall be assessed in the event it becomes necessary to collect and indebtedness hereunder by or through any attorney-at-law.**

Taxes: **No taxes are included in the sale price.**

Warranty: **R.F. Peck Co., Inc. makes no express warranties as to the goods sold but extends to the buyer the manufacturer's warranty which is available upon request.**

Returns: **No products shall be returned unless *approved in writing* and will be subject to transportation, handling charges and restocking charges.**

Consequential: **R.F. Peck Co., Inc. shall not be liable for any consequential, incidental or contingent damages whatsoever**

Supply Diffusers

SCD

Features:

- Material: Steel
- 3 Concentric Cones
- Optional Damper (pg. 7)
- White Finish

T-Bar Lay-in			
Panel	Neck Size	CFM Range	List Price
11 ¾ x 11 ¾	6	100-200	$38.34
	8	200-360	$38.34
23 ¾ x 23 ¾	6	100-200	$50.00
	8	200-360	$50.00
	10	360-550	$50.00
	12	550-780	$50.00
	14	780-1200	$50.00

SPD

Features:

- Material: Steel
- Easily Removable Plaque Face
- Optional Damper (pg. 7)
- White Finish
- **Available in the Rochester Warehouse Only*

T-Bar Lay-in			
Panel	Neck Size	CFM Range	List Price
23 ¾ x 23 ¾	6	100-200	$55.00
	8	200-360	$55.00
	10	360-550	$55.00
	12	550-780	$55.00
	14	780-1200	$55.00

Return Diffusers

PDDR



Features:

- Material: Steel
- Hinged Removable Perforated Face with Round Neck
- Optional Round Damper (pg. 7)
- White Finish

T-Bar Lay-in			
Panel	Neck Size	CFM Range	List Price
23 ¾ x 23 ¾	6	100-200	$47.00
	8	200-360	$47.00
	10	360-550	$47.00
	12	550-780	$47.00
	14	518-1036	$47.00
	16	736-1227	$64.00
23 ¾ x 11 ¾	22 x 10	1375	$50.00
23 ¾ x 23 ¾	22 x 22	3000	$44.00

PFRF



Features:

- Material: Steel
- Perforated Ceiling Panel
- Non-ducted Return
- White Finish

T-Bar Lay-in			
Panel	Neck Size	CFM Range	List Price
23 ¾ x 11 ¾	22 x 10	1375	$20.00
23 ¾ x 23 ¾	22 x 22	3000	$30.00

Slot Diffusers

TBDI4100

Features:

- Material
  - Shell – Coated Steel
  - Pattern Controllers – Extruded Aluminum
  - Blade Gasket - Vinyl
- Blades Factory Installed and Field Adjustable for Left, Right or Vertical Airflows
- Spring Rotates up for Blade Removal
- Internal Insulation
- 1” slot width
- Lay-in Frame
- Black Finish



2 SLOT

Inlet Dimensions			
Listed Inlet Size	Actual Inlet Dimension	W	H
8”	4” x 10.125” Oval	4”	8”
10”	4” x 13.25” Oval	4”	8”
12”	6” x 15.218” Oval	4”	11”

Inlet Size	Length	# of Slots	Slot Width	CFM	List Price	List Price w/ Auxiliary Frame
8	24	2	1	135	$120.00	$150.00
8,10, 12	48	2	1	164-707	$170.00	$210.00

Supply Registers

520D



Features:

- Material: Steel
- Double Deflection Grille
- Horizontal Front Blades
- Opposed Blade Damper
- White Finish

Surface Mount with Screwholes					
Size	CFM Range	List Price	Size	CFM Range	List Price
6 x 6	55-220	$50.00	16 x 12	335-1180	$85.00
8 x 4	170-275	$40.00	16 x 16	480-1500	$112.00
8 x 6	80-320	$50.00	18 x 6	245-900	$66.00
8 x 8	115-470	$50.00	18 x 10	320-1280	$80.00
10 x 4	250-350	$50.00	18 x 12	400-1340	$92.00
10 x 6	100-410	$50.00	20 x 6	205-750	$70.00
10 x 8	140-500	$54.00	20 x 8	245-900	$80.00
10 x 10	180-620	$58.00	20 x 10	335-1420	$90.00
12 x 4	100-410	$52.00	20 x 12	335-1180	$96.00
12 x 6	115-470	$54.00	24 x 6	320-1100	$80.00
12 x 8	180-610	$64.00	24 x 8	335-1180	$98.00
12 x 10	205-800	$66.00	24 x 10	400-1340	$100.00
12 x 12	270-920	$70.00	24 x 12	540-1600	$115.00
14 x 6	140-500	$62.00	24 x 18	835-2400	$154.00
14 x 8	205-750	$66.00	30 x 10	540-1600	$135.00
14 x 10	245-970	$74.00	30 x 18	1080-3000	$200.00
16 x 6	220-840	$62.00	36 x 12	835-2400	$180.00
16 x 8	245-900	$70.00	36 x 18	1290-350	$240.00
16 x 10	270-1080	$78.00			

Return Grilles

530



Features:

- Material: Steel
- Single Deflection Grille
- Horizontal Front Blades
- White Finish

Surface Mount with Screwholes						
Size	CFM Range	List Price		Size	CFM Range	List Price
6 x 6	36-150	$26.00		16 x 8	162-450	$38.00
8 x 6	52-200	$27.00		16 x 10	182-455	$39.00
8 x 8	78-250	$27.00		16 x 12	236-600	$41.00
10 x 6	68-230	$26.00		16 x 16	320-780	$46.00
10 x 8	92-300	$30.00		18 x 10	214-642	$42.00
10 x 10	120-360	$36.00		18 x 12	268-670	$45.00
12 x 6	78-250	$32.00		18 x 18	380-840	$52.00
12 x 8	120-360	$31.00		22 x10 Lay-in	250-700	$45.00
12 x 10	138-483	$34.00		22 x22 Lay-in	1000-1400	$67.00
12 x 12	182-500	$38.00		24 x 10	268-670	$46.00
14 x 6	92-300	$31.00		24 x 12	360-840	$46.00
14 x 8	138-400	$32.00		24 x 14	416-1040	$52.00
14 x 10	162-486	$38.00		24 x 16	490-1225	$56.00
14 x 12	214-642	$39.00		24 x 24	1083-1450	$70.00
14 x 14	236-600	$42.00		36 x 24	1116-1900	$98.00

530FF

Features:

- Material: Steel
- Filter Grille used for 1" filters
- Face fits inside frame
- Removable Face
- Positive Locking Latch
- Filter not included
- White Finish

T-Bar Lay-in			
Panel	Size	Max CFM	List Price
23 ¾ x 23 ¾	20 x 20 T-Bar	2500	$120.00

80



Features:

- Material: Aluminum
- Egg Crate Face
- White Finish

Surface Mount with Screwholes		
Size	CFM Range	List Price
12 x 12	270-750	$35.00
24 x 24	620-1200	$92.00
T-Bar Lay-in		
Size	CFM Range	List Price
22 x 10	320-720	$46.00
22 x 22	620-1200	$76.00

80PL



Features:

- Material: Plastic
- Egg Crate Face
- White Finish

T-Bar Lay-in	
Neck Size	List Price
24 x 24	$16.67
48 x 24	$26.00

RG&D Accessories

VCR8E

Features:

- Material: Steel
- Round Butterfly Damper
- Mounts to diffuser neck

Neck Size	List Price
6	$19.00
8	$20.00
10	$20.00
12	$21.00
14	$30.00

SQ/RD

Features:

- Material: Steel
- Fit over diffuser neck
- 3” high square with 3” high collar
- Round neck sizes 1/8” under
- *Available in the Rochester Warehouse only

Square Dimension	Round Size	List Price
6 x 6	6	$16.00
8 x 8	6	$18.00
	8	$18.00
10 x 10	8	$18.00
	10	$18.00
12 x 12	6*	$18.00
	8*	$18.00
	10	$20.00
	12	$20.00
18 x 18	16	$26.00
22 x 10*	6*	$22.00
	8*	$22.00
	10*	$22.00
22 x 22	6*	$28.00
	8*	$28.00
	10*	$28.00
	12*	$28.00
	14*	$28.00
	16	$28.00
	18	$28.00

SPF



Features:

- Material: Steel
- For drywall ceilings
- White finish

Size	List Price
12 x 12	$28.00
24 x 24	$38.00

Items on this page are available in the Rochester Warehouse Only

Air Terminal Units & Coils

SDV

Features:

- Material: 22ga zinc coated steel housing
- Mechanically sealed & gasketed, leak resistant construction
- Internal insulation ¾" dual density (meets NFPA 90a & UL 181 requirements)
- Rectangular discharge opening with slip & drive cleat duct connection
- Fiber Free Lining & Control Enclosure
- Gauge taps are standard

Inlet Size	CFM Range	Imperial Units (inches)				List Price
		Outlet		Inlet	Length	
6	0-450	12	8	6	20 1/8	$260.00
8	0-800	12	10	8	20 1/8	$300.00
10	0-1350	14	12 ½	10	20 1/8	$320.00
12	0-2150	16	15	12	20 1/8	$340.00

2 Row Coil

Unit Size	Width	Height	MBH*	List Price
6	12	8	15.7	$180.00
8	12	10	26.4	$190.00
10	14	12 ½	38.2	$220.00
12	16	15	52	$270.00

Based on 180° EWT/60° EAT

Equipment Rails, Pipe Portals & Roof Curbs

Rails

Features:

- All welded steel support
- 18ga galvanized steel construction
- 12" & 18" high
- 2" Flashing Strip
- Factory Installed Wood Nailer

Length	12"H List	18"H List
3 Feet	$180.00	$300.00
5 Feet	$259.00	$440.00

Roof Curbs

Features:

- 18" high
- Rigid insulation
- Nominal 2" x 2" wood nailer

Curb O.D.	List Price
12 x 12	$135.00
17 x 17	$170.00
19 x 19	$170.00
23 x 23	$195.00
29 x 29	$225.00

Pipe Portals

Features:

- 12 x 12 x 12"H & 18"H OD Curb – *priced separately*
- Plastic Cap, 1 or 4 Pipe Silicone Rubber Boot, Stainless Steel Clamp assembly – *priced separately*

Size	List Price
1 Pipe Cap Assembly	$190.00
4 Pipe Cap Assembly	$190.00
12 x 12 x12"H Curb	$125.00
12 x 12 x 18"H Curb	$135.00

Recommended Rates of Air Change Per Building Type

	Minute Per Air Change
GENERAL	
Corridors	60-20
Kitchens	1-3
Living Rooms	2-4
Meeting Rooms	4-10
Office	2-8
Residences	2-5
Toilet: Private	1-3
Public	2-5
RECREATIONAL	
Bars	2-4
Bowling Alley	2-8
Gymnasium	2-10
Recreational Room	2-8
Theaters	3-8

	Minute Per Air Change
HOSPITALS	
Disinfecting Room	2-5
Consulting Room	2-8
Office Room	3-10
Operating Room	1-4
Respiratory	2-6
Patients	5-10
Waiting Room	4-8
INSTITUTIONAL	
Assembly Hall	3-10
Auditoriums	4-15
Banks	3-10
Churches	4-15
Library	5-12

	Minute Per Air Change
HOTEL	
Dance Hall	3-8
Gallery	6-12
Washing Room	1-4
MACHINE ROOMS	
Boiler Room	2-4
Compressor Room	2-4
Engine Room	1-2
Generating Room	2-5
Transformer	1-5
Turbine Room	2-6
FOOD STORES	
Banquet Hall	3-6
Kitchens	1-3
Restaurants	5-10
Tempura House	1-3

	Minute Per Air Change
PLANTS/FACTORIES	
General Plant	
Bakeries	1-3
Dry Cleaners	1-5
Foundries	1-4
Glass Plants	1-2
Machine Shop	3-5
Mills (Paper)	2-3
Mills (Textiles)	5-15
Shop (General Vent)	3-10
Spinning Factory	4-12
Warehouse	2-10

Methods of Calculating Air Volume

RATE OF AIR CHANGE METHOD:

Step 1. Find total cubic feet of air space within the building or room to be ventilated.

Step 2. Determine number of air changes required. Generally mandated by local health codes or use above Air Change Table Guide.

Step 3. CFM required = $\dfrac{\text{Building/Room volume in cubic feet}}{\text{Minute/Air Change}}$

EXAMPLE:
Paper mill is 30 ft. x 50 ft. with 10 ft. high ceiling.
2-3 minutes per air change required for good ventilation.
30 ft. x 50 ft. x 10 ft. = 15,000 cubic ft. to be moved every 2 minutes or 7,500 CFM.

Fan Laws

The fan laws are a series of formulas used to predict the performance of a fan at parameters other than those listed in the multiratings catalog tables.

FAN LAW # 1: Effect of varying the fan speed, with the fan size and density remaining constant:

a. CFM varies as the RPM : $\dfrac{CFM_2}{CFM_1} = \dfrac{RPM_2}{RPM_1}$

b. SP varies as the RPM^2 : $\dfrac{SP_2}{SP_1} = \left[\dfrac{RPM_2}{RPM_1}\right]^2$

c. BHP varies as the RPM^3 : $\dfrac{BHP_2}{BHP_1} = \left[\dfrac{RPM_2}{RPM_1}\right]^3$

Fan Law # 2: Effect of changed density, with the fan size and speed remaining constant:

a. The CFM does not change : $CFM_2 = CFM_1$

b. The SP varies as the density : $\dfrac{SP_2}{SP_1} = \dfrac{d_2}{d_1}$

c. The BHP varies as the density : $\dfrac{BHP_2}{BHP_1} = \dfrac{d_2}{d_1}$

Subscript 1 is the catalog rating of selected fan
Subscript 2 is the desired rating

Roof Fans

ACE Spun Aluminum Downblast Roof Exhaust Fan

Features:

- Direct Drive
- Gravity Backdraft Damper included
- Speed Controller Pricing on page 13
- Roof curb dimensions on page 11

				0.000" SP		0.125" SP		0.250" SP		0.375" SP		0.500" SP				
Fan Model	HP	RPM	Tip Speed	CFM	Sones	CFM	Sones	CFM	Sones	CFM	Sones	CFM	Sones	Speed Control	List Price	w/ curb
70C15DL	1/20	1700	3112	171	5.35	131	5.0	113	4.8	91	4.7	-	-	5 amp	$540.00	$690.00
70C15DM	1/20	1670	3057	242	5.9	187	5.6	157	5.2	102	4.6	-	-	5 amp	$580.00	$730.00
70C15DH	1/20	1550	2837	305	5.2	249	5.2	194	5.1	135	5.0	-	-	5 amp	$580.00	$730.00
90C15DL	1/8	1715	4047	489	8.7	445	8.4	410	8.1	372	7.8	331	7.3	5 amp	$600.00	$750.00
90C15DM	1/8	1670	3841	658	9.5	600	9.0	564	8.5	469	8.5	412	7.9	5 amp	$630.00	$780.00
90C15DH	1/8	1550	3658	865	9.1	759	9.1	650	8.9	509	8.4	411	8.0	5 amp	$630.00	$780.00
100C15DL	1/8	1665	4362	583	11.3	545	11.1	505	10.9	467	10.6	427	10.3	5 amp	$670.00	$820.00
100C15DH	1/8	1550	4061	967	11.0	856	11.0	766	10.8	667	10.7	552	10.5	5 amp	$670.00	$820.00
120C13D	1/4	1300	4084	1393	9.6	1316	9.6	1236	9.5	1152	9.2	1070	8.9	5 amp	$850.00	$1,000.00
135C13D	1/2	1300	4595	1983	12.2	1897	12.2	1808	12.2	1715	12.0	1622	11.7	10 amp	$900.00	$1,050.00
150C13D	3/4	1300	5105	2720	15.3	2624	15.3	2527	15.3	2427	15.1	2322	14.9	10 amp	$1,120.00	$1,285.00

Fan Dimension Information



ACE-D Direct Drive Dimension Data

Fan Size	A	B	C	D	G	T Sq.	Roof Opening Square	Shipping Weight
70	1-3/4	13-5/8	13-13/16	16-3/4	2	18	13-1/2	20
90	2-1/2	18-3/4	16-13/16	16-3/4	2	18	13-1/2	28
100	2-1/2	18-3/4	16-13/16	16-3/4	2	18	13-1/2	30
120	1-7/16	28-7/16	26-9/16	20-3/8	2	20	15-1/2	67
135	1-15/16	28-7/16	27-1/16	20-3/8	2	20	15-1/2	72
150	2-13/16	32-7/8	29-3/16	23-13/16	2	24	19-1/2	90



Roof Curb Dimension Data

Fan Size	A Sq	B	C Sq	D Sq	Roof Opening Square	Curb Size to Order
70-100	16-1/2	9-1/2	20-1/2	9-3/4	13-1/2	17 x 17
120-135	18-1/2	9-1/2	22-1/2	11-3/4	15-1/2	19 x 19
150	22-1/2	9-1/2	26-1/2	15-3/4	19-1/2	23 x 23

Ceiling Fans



Gemini

Features:

- Direct Drive
- Gravity Backdraft Damper included
- Speed Controller Pricing on page 13
- Inline Kits available for GC146, GC148 & GC186

Model	Motor RPM	0.00"SP CFM/Sones	0.125" SP CFM/Sones	0.250"SP CFM/Sones	0.375"SP CFM/Sones	.500"SP CFM/Sones	0.625"SP CFM/Sones	0.750"SP CFM/Sones	List Price
GC146	900	114/1.2	103/1.2	90/1.3	77/1.5	64/2.0	50/2.5	36/3.0	$200.00
GC148	1075	152/2.5	142/2.5	132/2.5	120/2.5	108/3.0	94/3.0	78/3.5	$200.00
GC186	1100	231/5.5	225/5.5	218/5.5	209/5.5	199/5.0	186/5.0	170/5.0	$240.00
GC542	1600	391/5.5	377/5.5	361/5.5	340/5.5	314/5.5	285/5.0	248/4.5	$430.00
GC622	1400	501/3.5	486/3.5	461/3.0	433/3.0	392/3.0	339/3.0	-	$470.00

Model	Inline Kit
GC146	$64.00
GC148	$64.00
GC186	$64.00

Model	Speed Controller
GC146	5 amp
GC148	5 amp
GC186	5 amp
GC542	5 amp
GC622	5 amp

**Pricing on page 13*

Fan Accessories

Speed Controller

5 amp **10 amp**

Features:

- Available for Direct Drive units
- Can be mounted remotely or at the unit
- Used to adjust unit to desired capacity

Control Mode	List Price
5 amp	$60.00
10 amp	$120.00

Reverse Acting T'Stat

Features:

- Cooling only
- Mount to standard 2" x 4" vertical box
- Color: Beige/Silver face
- * Available in Rochester Warehouse only

Control Mode	List Price
Cooling only	$55.00

Roof Curbs

Features:

- 12" high
- Rigid insulation
- Nominal 2" x 2" wood nailer

Curb O.D.	List Price
14 x 14	$150.00
16 x 16	$150.00
17 x 17	$150.00
19 x 19	$150.00
23 x 23	$165.00
29 x 29	$195.00

Weather Cap

BROAN

Features:

- Material: Spun Aluminum
- Birdscreen included
- Curb Mount – *Curb not included (see above for pricing)*



Model	A	C	D	E	F	G	Curb Size	List Price
611CM	11	15-1/2	1-7/8	7-3/4	7-3/4	10-1/8	14 x 14	$160.00
612CM	18-1/2	17-3/4	1-7/8	11-1/8	12	15-5/8	16 x 16	$220.00

Wall & Roof Caps

Wall Caps



- Steel baked black enamel finish
- Spring-loaded backdraft damper and built-in alum bird screen
- For 3 ½" x 10" duct



- Aluminum – natural finish
- Built-in backdraft damper
- For 6" round duct

Item	List Price
639	$41.00
641	$79.00
642	$35.00
643	$110.00



- Aluminum – natural finish
- Built-in backdraft damper
- For 4" round duct (4"-3" transition incl)



- Aluminum – natural finish
- Built-in backdraft damper
- For 8" round duct

Roof Caps



- Steel black electrically bonded epoxy finish
- Built-in backdraft damper & birdscreen
- For 10-2/4" x 10 ¾" or up to 10" round



- Steel black electrically bonded epoxy finish
- Built-in backdraft damper & birdscreen
- For 3" or 4" round duct

Item	List Price
634	$63.00
636	$35.00

Nailor Industries Inc.

Dampers & Actuators

0110H Fire

Features:

- Can be mounted vertically or horizontally
- 1-1/2 hour rated
- Duct size – ¼”
- 4 ¼” deep

Size W x H	List Price	Size W x H	List Price
6 x 6	$31.00	16 x 12	$54.00
8 x 6	$31.00	16 x 16	$59.00
8 x 8	$35.00	18 x 10	$55.00
10 x 8	$36.00	18 x 12	$58.00
10 x 10	$38.00	18 x 18	$68.00
12 x 6	$36.00	20 x 8	$48.00
12 x 8	$38.00	20 x 12	$55.00
12 x 10	$38.00	20 x 20	$66.00
12 x 12	$41.00	22 x 10	$56.00
14 x 8	$46.00	24 x 10	$56.00
14 x 12	$54.00	24 x 12	$59.00
14 x 14	$59.00	24 x 16	$66.00
16 x 8	$46.00	24 x 24	$78.00

0130H Fire

Features:

- Square damper with round transition
- Can be mounted vertically or horizontally
- 1-1/2 hour rated
- Loose links available if needed

Size	List Price
6”	$50.00
8”	$55.00
10”	$57.00
12”	$62.00
14”	$90.00
16”	$90.00
18”	$106.00

Fusible Links	List Price
165°	$13.55
212°	$14.85

1020 Control

Features:

- 16ga galvanized steel construction
- Blade & jamb seals

Size W x H	List Price	Size W x H	List Price
12 x 12	$145.00	24 x 24	$240.00
16 x 16	$180.00	24 x 36	$330.00
20 x 20	$210.00	30 x 30	$340.00
24 x 10	$180.00	36 x 12	$200.00
24 x 12	$180.00	36 x 24	$280.00
24 x 16	$190.00		

1370 Backdraft

Features:

- Blades are roll formed aluminum alloy
- Polyurethane blade seals reduce backflow & noise

Size	List Price
12 x 12	$100.00
16 x 16	$120.00
24 x 24	$180.00

Belimo

Model	Type	Mounting	Max Sq Ft	Voltage	List Price
LF24	Electric	External/Internal	5-7	24V	$300.00
LF120	Electric	External/Internal	5-7	120V	$330.00
NF24	Electric	External/Internal	13-15	24V	$350.00
NF120	Electric	External/Internal	13-15	120V	$390.00
½” SHAFT QUAD	Manual				$14.25

Louvers & Brick Vents

1604D



Features:

- 4” Deep Louver
- Material: Extruded Aluminum
- 45° Drainable Stationary Blade
- ½” Mesh Aluminum Birdscreen
- Channel Frame

Size	List Price
12 x 12	$154.00
16 x 16	$190.00
24 x 12	$190.00
24 x 16	$220.00
24 x 24	$260.00
30 x 30	$390.00
36 x 24	$330.00

168EX

Features:

- Brick Vent
- Material: Extruded Aluminum
- ½” Mesh Aluminum Birdscreen

Size	List Price
16½ x 7½	$125.00

Access Doors

Hinged

Features:

- Door Panel – 24ga Galvanized Steel
- Frame – 22ga Galvanized Steel
- Insulation – 1” Fiberglass

Size	List Price
6 x 6	$24.00
8 x 8	$26.00
10 x 10	$30.00
12 x 12	$32.00
14 x 14	$38.00
16 x 16	$47.00
18 x 18	$52.00
24 x 24	$73.00

Cam

VIMCO

Vibration Isolators

Model BA
Spring Mount

Model HNSA
Spring Hangers

Model HSF/A
Spring Flex Hangers

Floor Mounted, Spring Type BA				Hangers, Spring Type HNSA				Hangers, Spring Type HSF/A			
Type	Height	Max Load lbs.	List Price	Type	Height	Max Load lbs.	List Price	Type	Height	Max Load lbs.	List Price
BA-121	4 ½”	50	$38.00	HNSA-A3-121	8”	50	$52.00	HSF-041	4 ½”	23	$23.00
BA-122	4 ½”	80	$38.00	HNSA-A4-122	8”	80	$52.00	HSF-042	4 ½”	40	$23.00
BA-123	4 ½”	130	$38.00	HNSA-B1-123	8”	130	$63.00	HSF-043	4 ½”	65	$23.00
BA-124	4 ½”	210	$38.00	HNSA-B2-124	8”	210	$63.00	HSF-044	4 ½”	90	$23.00
BA-125	4 ½”	300	$38.00	HNSA-B3-125	8”	300	$63.00	HSF-045	4 ½”	185	$23.00
BA-126	4 ½”	370	$38.00	HNSA-BE-126	8”	370	$63.00	HSA-124	4 ½”	210	$29.00
								HAS-125	4 ½”	300	$29.00
								HAS-126	4 ½”	370	$29.00

VIMCO

Vibration Isolators

Model HND
Rubber-In-Shear Hangers

Model FMD
Rubber-In-Shear Mounts

Hangers, Rubber-In-Shear Type HND				Floor Mounted, Rubber-In-Shear Type FMD			
Type	Height	Max Load lbs.	List Price	Type	Height	Max Load lbs.	List Price
HND-A-1	3”	30	$19.00	FMD-A-1	1 ¼”	30	$14.00
HND-A-2	3”	40	$19.00	FMD-A-2	1 ¼”	40	$14.00
HND-A-3	3”	70	$19.00	FMD-A-3	1 ¼”	70	$14.00
HND-A-4	3”	120	$19.00	FMD-A-4	1 ¾”	115	$14.00
HND-B-1	4”	165	$39.00	FMD-B-1	1 ¾”	130	$20.00
HND-B-2	4”	235	$39.00	FMD-B-2	1 ¾”	165	$20.00
HND-B-3	4”	375	$39.00	FMD-B-3	1 ¾”	235	$20.00
HND-B-4	4”	572	$39.00	FMD-B-4	1 ¾”	375	$20.00

Shear Flex Pads

Features:

- Material: Special Rubber
- Extremely High Deflection Rate
- Alternately Raised Ribs provide effective vibration isolation in both high & low load ranges
- Max Load: 60lbs
- Load Range: 15-55 psi

Size	List Price
18” x 18” x 3/8”	$26.00

Variable Frequency Drives

Base Drives				
Voltage	HP	Model	List Price	Stock Location*
208V	2	ACH580-01-07A5-2	$1,100.00	S
208V	5	ACH580-01-017A-2	$1,320.00	S
208V	10	ACH580-01-031A-2	$1,900.00	S
480V	3	ACH580-01-04A8-4	$1,050.00	A/S/R
480V	5	ACH580-01-07A6-4	$1,200.00	A/S/R
480V	7.5	ACH580-01-012A-4	$1,340.00	A/S/R
480V	10	ACH580-01-014A-4	$1,600.00	R
480V	15	ACH580-01-023A-4	$2,000.00	A/S/R
480V	20	ACH580-01-027A-4	$2,500.00	A/S/R
480V	25	ACH580-01-034A-4	$3,250.00	R
480V	30	ACH580-01-044A-4	$3,800.00	A
480V	40	ACH580-01-052A-4	$4,600.00	A
480V	50	ACH580-01-065A-4	$5,800.00	A

ACH580 General Purpose HVAC Variable Frequency Drive. UL Type I Enclosure, Advanced Operator Keypad, 5% Input Swing Choke (Reactor), EMI/RFI Filter, and embedded N2, FLN, Modbus & BACnet included as standard.

Drives with Bypass, Circuit Breaker and Service Switch				
Voltage	HP	Model	List Price	Stock Location*
480V	3	ACH580-VCR-04A8-4+F267	$2,420.00	A/S/R
480V	5	ACH580-VCR-07A6-4+F267	$2,650.00	R
480V	7.5	ACH580-VCR-012A-4+F267	$2,700.00	A/S/R
480V	10	ACH580-VCR-014A-4+F267	$2,950.00	R
480V	15	ACH580-VCR-023A-4+F267	$3,420.00	A/S/R
480V	20	ACH580-VCR-027A-4+F267	$4,100.00	A/S/R
480V	25	ACH580-VCR-034A-4+F267	$4,850.00	R

ACH580 UH Drive with E-Clipse Bypass, UL Type I Enclosure, Main Circuit Breaker, Operator Advanced Bypass Keypad, Output & Bypass Contractors, Drive Input Service Switch, Pass Through Bypass I/O including N2, FLN, Modbus & BACnet included as standard

*Location	A: Albany	S: Syracuse	R: Rochester
	22 Computer Dr West	6412 Baird Avenue	889 Atlantic Avenue

Factory Authorized Start-up Not Included**

Warranty (w/o Factory Authorized Start-up): 1 year Factory Warranty includes parts only

****Start Up:** For an additional cost we can provide factory certified start up. Certified start up includes 2 year parts and labor warranty. Please contact your R.F. Peck representative for details

R.F.Peck Co., Inc. is a diversified manufacturers' representative specializing in the distribution, filtration, measurement and control of air flow, as well as heating, ventilating and air conditioning equipment. Through our affiliation with quality manufacturers, we offer support to architects, engineers, designers and contractors by providing high-quality equipment, competitive pricing and prompt service and delivery.
22 Computer Dr West, Albany, NY 12205 (518) 869-3541; FAX (518) 869-5718
132 Cayuga Road, Buffalo, NY 14225 (716) 276-8933
889 Atlantic Avenue, Rochester, NY 14609 (585) 697-0836; FAX (585) 697-0839
6412 Baird Avenue, Syracuse, NY 13206 (315) 471-0105; FAX (315) 471-2045
Stocking Warehouse in Syracuse & Rochester, NY

Sheet Metal Products

AAF/FLANDERS FILTERS
- Foremost in Air Filtration

ACUTHERM
- Therma-Fuser Diffuser Systems

AIRFLOW DIRECTION
- Room Pressure Monitors & Alarms

AIR BALANCE
- Fire, fire/smoke, control & backdraft dampers

AMERICAN WARMING & VENTILATION
- Louvers
- Industrial dampers

BLENDER PRODUCTS
- Static Air Mixing Systems

BRASCH
- Electric Heating Products
- Gas Detection Systems

CAPTIVEAIRE
- Kitchen Hood Exhaust Systems
- Make-up Air Units

DENLAR FIRE PROTECTION
- Fully Integrated, Pre-Engineered Fire Suppression Range Hood System
- Commercial Style Protection in a Residential-Grade Range Hood

FABRICAIR
- Flexible Fabric Ducting Systems

HEE Environmental Engineering, LLC
- Fiberglass Scrubbers, Fans & Ducts

LOREN COOK COMPANY
- Power Roof Ventilators, Centrifugal & Industrial Fans, Lab Exhaust Fans
- Make-up Air
- Energy Recovery Systems

METAL-FAB INC.
- Commercial & Industrial Stacks & Breeching

NAILOR
- Fire, fire/smoke, ceiling radiation, control & backdraft dampers
- Fan Coil Units
- Electric Duct Heaters

POTTORFF
- Fire, fire/smoke, control & backdraft dampers
- Louvers

PRICE
- Registers, Grilles & Diffusers
- Variable Air Volume Boxes
- Fan Coil Units
- Silencers

SKYBLADE
- High Volume Low Speed Fans for high ceiling facilities, open office spaces, warehouses, places of worship, gymnasiums, auto dealerships and more

STROBIC AIR CORPORATION
- High Induction Laboratory Fume Hood
- & Industrial Process Exhaust Systems

TAMCO
- High Performance Control Dampers for Outside Air Systems

THERMADUCT
Pre-Engineered Outdoor Duct System

YOUNG REGULATOR
- Remote Dampers & Operators

VENTAIRE
- Vehicle exhaust removal and fume extraction systems

R.F.Peck Co., Inc. is a diversified manufacturers' representative specializing in the distribution, filtration, measurement and control of air flow, as well as heating, ventilating and air conditioning equipment. Through our affiliation with quality manufacturers, we offer support to architects, engineers, designers and contractors by providing high-quality equipment, competitive pricing and prompt service and delivery.
22 Computer Dr West, Albany, NY 12205 (518) 869-3541; FAX (518) 869-5718
132 Cayuga Road, Buffalo, NY 14225 (716) 276-8933
889 Atlantic Avenue, Rochester, NY 14609 (585) 697-0836; FAX (585) 697-0839
6412 Baird Avenue, Syracuse, NY 13206 (315) 471-0105; FAX (315) 471-2045
Stocking Warehouse in Syracuse & Rochester, NY

Mechanical Products

ASEA BROWN BOVERI (ABB)
- Variable Frequency Drives
- Motor Starters

AIREDALE
- Unit Ventilators, Gas Fired Make-up Air, Fintube & Hydronic Heaters

CENTROTHERM
- Polypropylene flue gas venting system for Category II & IV appliances

CLIMATEMASTER
- Horizontal & vertical, rooftop, console floor mount, water to water & vertical stacked heat pumps & 100% outside air units with energy recovery

COONEY COILS
- Freeze Block HVAC Coils

DUNHAM-BUSH
- Chillers, Central Station AHU, Rooftop Units and Fan Coil Units

DYNAMIC AIR QUALITY SOLUTIONS
- Active/passive air filtration technology solutions that optimize energy, maintenance and indoor air quality

EVAPCO
- Cooling Towers & Fluid Coolers
- Thermal Ice Storage Systems

GOVERNAIR
- Custom Air Handling Units

HUNTAIR
- FANWALL Technology® Custom AHU's
- Cleanroom Recirc Air Handlers

KAMPMANN
- Trench Heating Systems

KLIMOR
- Series of modular air handling for air conditioning, ventilation, heating, cooling, low pressure & high-pressure systems

KONVEKTA
- Engineered Energy Recovery Systems

LAKOS
- Solid from Liquid Water Filtration Systems

LG
- VRF – Variable Refrigerant Flow Systems

MARKEL
- Electric Heating Products

MEASURED AIR PERFORMANCE
- Active Sensing System (SmartStack) for Laboratory Exhaust Fan Systems.

OVENTROP
- Balancing & Radiator Valves
- Coils Kits

PHOENIX CONTROLS
- Precision air flow control systems for laboratory & critical room environments

PURE HUMIDIFIER
- Steam Injection, Steam Heat Exchanger, Electric & Gas Fired Humidifiers

QUANTECH
- Air-Cooled & Water-Cooled Chillers

RENEWAIRE
- Air to Air Plate Energy Exchangers
- Hydronic Coils & Gas Heaters 10:1 modulation
- Enthalpy Core for Sensible & Latent Energy

RIELLO
- High Efficiency Boilers
- Commercial Burners

TEMTROL
- Custom Air Handling Units

TEMPMASTER
- Packaged cooling and heating units, dx units, split systems and packaged heat pumps

VENMAR
- Energy Recovery Air Handling Units

VENTROL
- Custom Air-Handling Units

VULCAN
- Hot water heaters & fin tube radiation