




2025-26 STOCK CATALOG



SALES OFFICES

ALBANY, NEW YORK
22 Computer Dr West
Albany, NY 12205
(518) 869-3541

BUFFALO, NEW YORK
3242 Union Road
Cheektowaga, NY 14227
(716) 276-8933

ROCHESTER, NEW YORK
889 Atlantic Avenue
Rochester, NY 14609
(585) 697-0836

SYRACUSE, NEW YORK
6412 Baird Avenue
Syracuse, NY 13206
(315) 471-0105

Warehouse Locations: Buffalo, Rochester & Syracuse

IMMEDIATE SHIPPING OR PICKUP AVAILABLE •



• www.rfpeck.com



For all equipment use:

.65 Multiplier

plus freight*

*If not directly picked up from the warehouse

Table of Contents

<u>Items</u>	<u>Page</u>
Access Doors	15
Brick Vents	15
Ceiling Fan	11
Dampers	14
Diffusers	2,3,4
Equipment Rails	12
Fan Accessories	12
Grilles	5
Heat Pumps	21
Louvers	15
Pipe Portals	12
RG&D Accessories	6
Roof Caps	13
Roof Fans	9
Variable Frequency Drives	18,19
Variable Frequency Drive Parts	20
VAV & Coils	7
Vibration Hangers/Isolators	16,17
Wall Caps	13

TERMS & CONDITIONS

Prices:	Prices are F.O.B Albany, Syracuse & Rochester, New York. Prices are subject to change without notice.
Terms:	All orders are to be paid with either cash, bank approved check, or credit card unless prior credit has been approved. Credit terms to be Net thirty (30) days from date of invoice. A service charge of 1 ½% per month will be charged after thirty (30) days until payment is received. Also reasonable attorneys' fees in the amount of fifteen percent (15%) of outstanding balance shall be assessed in the event it becomes necessary to collect and indebtedness hereunder by or through any attorney-at-law.
Taxes:	No taxes are included in the sale price.
Warranty:	R.F. Peck Co., Inc. makes no express warranties as to the goods sold but extends to the buyer the manufacturer's warranty which is available upon request.
Returns:	No products shall be returned unless <i>approved in writing</i> and will be subject to transportation, handling charges and restocking charges.
Consequential:	R.F. Peck Co., Inc. shall not be liable for any consequential, incidental or contingent Damages whatsoever.

Supply Diffusers

RNS3



Features:

- Material: Steel
- 3 Concentric Cones
- Appliance White Finish

T-Bar Lay-in

Panel	Neck Size	CFM Range	List Price
11 ¾ X 11 ¾	6	100-200	\$50.00
	8	200-360	\$50.00
23 ¾ x 23 ¾	6	100-200	\$68.00
	8	200-360	\$68.00
	10	360-550	\$68.00
	12	550-780	\$68.00

UNI2



Features:


- Material: Steel
- Easily Removable Plaque Face
- Appliance White Finish

T-Bar Lay-in

Panel	Neck Size	CFM Range	List Price
23 ¾ x 23 ¾	6	100-200	\$80.00
	8	200-360	\$80.00
	10	360-550	\$80.00
	12	550-780	\$80.00

Return Diffusers

4360



Features:

- Material: Steel
- Hinged Removable Perforated Face with Round Neck
- White Finish

T-Bar Lay-in

Panel	Neck Size	CFM Range	List Price
23 ¾ x 23 ¾	6	175	\$64.00
	8	250	\$64.00
	10	350	\$64.00
	12	400	\$64.00
	22 X 22	3000	\$53.00


Slot Diffusers

5710



Features:

- Material
 - Shell – Corrosion resistant steel
 - Pattern Controllers – Extruded Aluminum
 - Blade Gasket - Vinyl
- Blades Factory Installed and Field Adjustable for Left, Right or Vertical Airflows
- 1" slot width
- Lay-in Frame
- White Finish on center T-bars
- Black pattern controllers and exposed surfaces




Inlet Dimensions	
Listed Inlet Size	Actual Inlet Dimension
6"	5" - 7/8" Round
8"	7" - 7/8" Round
10"	7" - 7/8" x 11" Oval

Inlet Size	Length	# of Slots	Slot Width	CFM	List Price
6"	24	2	1	50-200	\$100.00
8"	48	2	1	85-360	\$140.00
10"	48	2	1	110-430	\$140.00

Slot Diffusers

61DH-O




Features:

- Material: Steel
- Double Deflection Grille
- Horizontal Front Blades
- Opposed Blade Damper
- White Finish

Surface Mount with Screwholes						
Size	CFM Range	List Price		Size	CFM Range	List Price
6 x 6	55-220	\$49.00		16 x 6	220-840	\$72.00
8 x 6	80-320	\$53.00		16 x 8	245-900	\$82.00
8 x 8	115-470	\$56.00		18 x 6	245-900	\$76.00
10 x 6	100-410	\$58.00		18 x 10	320-1280	\$94.00
10 x 8	140-500	\$61.00		18 x 12	400-1340	\$100.00
10 x 10	180-620	\$67.00		20 x 6	205-750	\$88.00
12 x 6	115-470	\$61.00		20 x 8	245-900	\$90.00
12 x 8	180-610	\$66.00		20 x 10	335-1420	\$100.00
12 x 10	205-800	\$73.00		20 x 12	335-1180	\$110.00
12 x 12	270-920	\$82.00		24 x 6	320-1100	\$94.00
14 x 6	140-500	\$66.00		24 x 8	335-1180	\$105.00
14 x 8	205-750	\$73.00		24 x 10	400-1340	\$115.00
14 x 10	245-970	\$82.00		24 x 12	540-1600	\$130.00

Return Grilles

6145H



Features:

- Material: Steel
- Single Deflection Grille
- Horizontal Front Blades
- White Finish

Surface Mount with Screwholes

Size	CFM Range	List Price	Size	CFM Range	List Price
6 x 6	40-120	\$20.00	14 x 14	248-620	\$44.00
8 x 8	76-228	\$26.00	16 x 6	116-348	\$32.00
10 x 6	70-210	\$28.00	16 x 8	162-450	\$35.00
10 x 10	122-305	\$32.00	16 x 10	182-455	\$39.00
12 x 6	84-252	\$28.00	16 x 12	248-620	\$44.00
12 x 8	116-348	\$32.00	16 x 14	274-685	\$32.00
12 x 10	148-370	\$32.00	16 x 16	328-820	\$32.00
12 x 12	180-450	\$35.00	18 x 10	214-642	\$44.00
14 x 6	92-300	\$32.00	18 x 12	274-685	\$44.00
14 x 8	130-325	\$33.00	18 x 18	420-1050	\$66.00
14 x 10	304-760	\$35.00	22 x10 Lay-in	250-700	\$40.00
14 x 12	214-642	\$39.00	22 x22 Lay-in	1000-1400	\$80.00

61FB45




Features:

- Material: Steel
- Filter Grille used for 1" filters
- 45-degree deflection
- ¼ Turn latch
- Filter not included
- White Finish

T-Bar Lay-in

Panel	Size	Max CFM	List Price
23 ¾ x 23 ¾	20 x 20 T-Bar	2500	\$140.00

61EC




Features:

- Material: Aluminum
- Egg Crate Face
- White Finish

Surface Mount with Screwholes

Size	CFM Range	List Price
8 x 8	114-380	\$25.00
12 x 12	270-900	\$40.00
T-Bar Lay-in		
Size	CFM Range	List Price
22 x 10	320-720	\$50.00
22 x 22	620-1200	\$100.00

PLASTIC



Features:

- Material: Plastic
- Egg Crate Face
- White Finish
- *Available in the Syracuse Warehouse

T-Bar Lay-in

Neck Size	List Price
24 x 24*	\$40.00
48 x 24*	\$55.00

RG&D Accessories

SQ/RD




Features:

- Material: Steel
- Fit over diffuser neck
- 3" high square with 3" high collar
- Round neck sizes 1/8" under

Square Dimension	Round Size	List Price
6 x 6	6	\$19.00
8 x 8	6	\$20.00
	8	\$20.00
10 x 10	8	\$21.00
	10	\$21.00
12 x 12	6	\$23.00
	8	\$23.00
	10	\$23.00
	12	\$23.00
18 x 18	16	\$28.00
22 x 10	6	\$30.00
	8	\$30.00
	10	\$30.00
22 x 22	6	\$38.00
	8	\$38.00
	10	\$38.00
	12	\$38.00
	14	\$38.00
	16	\$38.00
	18	\$38.00

DFA



Features:

- Material: Aluminum
- For drywall ceilings
- White finish

Size	List Price
12 x 12	\$32.00
24 x 24	\$53. 00

Air Terminal Units & Coils

D3001



Features:

- Material: 22ga galvanized steel housing
- Mechanically sealed & gasketed, leak resistant construction
- Internal fiberglass insulation ¾" dual density (meets NFPA 90a & UL 181 requirements)
- Rectangular discharge opening with slip & drive cleat duct connection
- Fiber Free Lining, Control Enclosure & Access Door
- Gauge taps are standard

Inlet Size	CFM Range	Imperial Units (inches)				List Price
		Outlet		Inlet	Length	
6	0-550	10	10	6	20 ½	\$370.00
8	0-1100	12	12 ½	8	20 ½	\$400.00
10	0-1840	14	12 ½	10	20 ½	\$460.00
12	0-2500	18	12 ½	12	20 ½	\$480.00
14	0-3125	24	12 ½	14	20 ½	\$560.00

2 Row Coil



Unit Size	Width	Height	MBH*	List Price
6	10	10	15.7	\$260.00
8	12	12 ½	26.4	\$280.00
10	14	12 ½	38.2	\$310.00
12	18	12 ½	52	\$360.00
14	24	12 ½		\$430.00

* Based on 180° EWT/60° EAT

Fan Engineering Information

Recommended Rates of Air Change Per Building Type

Minute Per Air Change	Minute Per Air Change	Minute Per Air Change	Minute Per Air Change
GENERAL	HOSPITALS	HOTEL	PLANTS/FACTORIES
Corridors 60-20	Disinfecting Room 2-5	Dance Hall 3-8	General Plant
Kitchens 1-3	Consulting Room 2-8	Gallery 6-12	Bakeries 1-3
Living Rooms 2-4	Office Room 3-10	Washing Room 1-4	Dry Cleaners 1-5
Meeting Rooms 4-10	Operating Room 1-4	MACHINE ROOMS	Foundries 1-4
Office 2-8	Respiratory 2-6	Boiler Room 2-4	Glass Plants 1-2
Residences 2-5	Patients 5-10	Compressor Room 2-4	Machine Shop 3-5
Toilet: Private 1-3	Waiting Room 4-8	Engine Room 1-2	Mills (Paper) 2-3
Public 2-5	INSTITUTIONAL	Generating Room 2-5	Mills (Textiles) 5-15
RECREATIONAL	Assembly Hall 3-10	Transformer 1-5	Shop (General Vent) ... 3-10
Bars 2-4	Auditoriums 4-15	Turbine Room 2-6	Spinning Factory 4-12
Bowling Alley 2-8	Banks 3-10	FOOD STORES	Warehouse 2-10
Gymnasium 2-10	Churches 4-15	Banquet Hall 3-6	
Recreational Room ... 2-8	Library 5-12	Kitchens 1-3	
Theaters 3-8		Restaurants 5-10	
		Tempura House 1-3	

Methods of Calculating Air Volume

RATE OF AIR CHANGE METHOD:

- Step 1. Find total cubic feet of air space within the building or room to be ventilated.
- Step 2. Determine number of air changes required. Generally mandated by local health codes or use above Air Change Table Guide.

Step 3.
$$\text{CFM required} = \frac{\text{Building/Room volume in cubic feet}}{\text{Minute/Air Change}}$$

EXAMPLE:

Paper mill is 30 ft. x 50 ft. with 10 ft. high ceiling.
 2-3 minutes per air change required for good ventilation.
 30 ft. x 50 ft. x 10 ft. = 15,000 cubic ft. to be moved every 2 minutes or 7,500 CFM.

Fan Laws

The fan laws are a series of formulas used to predict the performance of a fan at parameters other than those listed in the multiratings catalog tables.

FAN LAW # 1: Effect of varying the fan speed, with the fan size and density remaining constant:

a. CFM varies as the RPM :
$$\frac{\text{CFM}_2}{\text{CFM}_1} = \frac{\text{RPM}_2}{\text{RPM}_1}$$

b. SP varies as the RPM² :
$$\frac{\text{SP}_2}{\text{SP}_1} = \left[\frac{\text{RPM}_2}{\text{RPM}_1} \right]^2$$

c. BHP varies as the RPM³ :
$$\frac{\text{BHP}_2}{\text{BHP}_1} = \left[\frac{\text{RPM}_2}{\text{RPM}_1} \right]^3$$

Fan Law # 2: Effect of changed density, with the fan size and speed remaining constant:

a. The CFM does not change :
$$\text{CFM}_2 = \text{CFM}_1$$

b. The SP varies as the density :
$$\frac{\text{SP}_2}{\text{SP}_1} = \frac{d_2}{d_1}$$

c. The BHP varies as the density :
$$\frac{\text{BHP}_2}{\text{BHP}_1} = \frac{d_2}{d_1}$$

*Subscript 1 is the catalog rating of selected fan
 Subscript 2 is the desired rating*

Roof Fans

ACE Spun Aluminum Downblast Roof Exhaust Fan with EC Motor




Features:

- Direct Drive with EC motor
- Gravity Backdraft Damper included
- NEMA pre-wired disconnect
- Aluminum bird screen
- Speed Controller Pricing on page 12
- Roof curb dimensions on page 10


			0.000" SP		0.125" SP		0.250" SP		0.375" SP		0.500" SP		List Price
Fan Model	HP	RPM	CFM	Sones	CFM	Sones	CFM	Sones	CFM	Sones	CFM	Sones	
70C17DEC	1/20	1725	284	5.0	218	4.3	150	4.0	78	4.0	N/A	N/A	\$1,300.00
100C17DEC	1/4	1725	481	3.9	400	3.8	300	4.1	139	4.4	N/A	N/A	\$1,500.00
120C17DEC	1/2	1725	1107	7.0	1000	6.6	900	6.4	782	5.9	N/A	N/A	\$1,900.00
135C17DEC	3/4	1725	1688	9.3	1596	9.2	1500	9.1	1400	8.9	1250	8.4	\$2,100.00
150C17DEC	1	1650	2243	10.9	2130	10.6	2000	10.2	1870	9.8	1750	9.6	\$2,400.00

Fan Dimension Information



ACE-D Direct Drive Dimension Data

Size	A	B	C	D	G	T Sq.	Roof Opening Square	Shipping Weight
70	1-3/4	13-5/8	13-13/16	16-3/4	2	18	13-1/2	20
100	2-1/2	18-3/4	16-13/16	16-3/4	2	18	13-1/2	30
120	1-7/16	28-7/16	26-9/16	20-3/8	2	20	15-1/2	67
135	1-15/16	28-7/16	27-1/16	20-3/8	2	20	15-1/2	72
150	2-13/16	32-7/8	29-3/16	23-13/16	2	24	19-1/2	90



Roof Curb Dimension Data

Fan Size	A Sq	B	C Sq	D Sq	Roof Opening Square	Curb Size to Order
70-100	16-1/2	9-1/2	20-1/2	9-3/4	13-1/2	17 x 17
120-135	18-1/2	9-1/2	22-1/2	11-3/4	15-1/2	19 x 19
150	22-1/2	9-1/2	26-1/2	15-3/4	19-1/2	23 x 23

*Pricing on page 9

Ceiling Fans

Gemini



Features:

- Direct Drive
- Gravity Backdraft Damper included
- Speed Controller Pricing on page 9
- Inline Kits available for GC146, GC148 & GC186
- **GC186-622 Located in Syracuse Warehouse**
- **GC148 Located in Rochester and Syracuse Warehouse**

Model	Motor RPM	0.00"SP CFM/Sones	0.125" SP CFM/Sones	0.250"SP CFM/Sones	0.375"SP CFM/Sones	.500"SP CFM/Sones	0.625"SP CFM/Sones	0.750"SP CFM/Sones	List Price
GC148	1075	152/2.5	142/2.5	132/2.5	120/2.5	108/3.0	94/3.0	78/3.5	\$365.00
GC186	1100	231/5.5	225/5.5	218/5.5	209/5.5	199/5.0	186/5.0	170/5.0	\$470.00
GC542	1600	391/5.5	377/5.5	361/5.5	340/5.5	314/5.5	285/5.0	248/4.5	\$645.00
GC622	1400	501/3.5	486/3.5	461/3.0	433/3.0	392/3.0	339/3.0	-	\$725.00

Model	Inline Kit
GC148	\$70.00
GC186	\$70.00

Model	Speed Controller
GC148	5 amp
GC186	5 amp
GC542	5 amp
GC622	5 amp

Fan Accessories

Speed Controller



Features

- Available for Direct Drive units
- Can be mounted remotely or at the unit
- Used to adjust unit to desired capacity
- 5 amp in Rochester & Syracuse Warehouse
- 10 amp in Syracuse Warehouse only

Control Mode	List Price
5 amp	\$130.00
10 amp	\$220.00
Reverse Acting T'STAT	\$75.00

Reverse Acting T'Stat



Features:

- Cooling only
- Rough in dims: 4.75"H x 2.9"W x 1.5"D
- Range: 50-90°F
- * Available in Rochester Warehouse only



Roof Curbs, Equipment Rails & Pipe Portals

Roof Curbs



Features:

- 12" high (Syracuse)
- 18" high (Rochester)
- 24" high (Buffalo)
- Rigid insulation
- Nominal 2" x 2" wood nailer

Curb O.D.	List Price 12"H	List Price 18"H	List Price 24"H
12 x 12	\$140.00	\$155.00	\$200.00
14 x 14	\$175.00	N/A	N/A
16 x 16	\$185.00	N/A	N/A
17 x 17	\$190.00	\$200.00	\$260.00
19 x 19	\$210.00	\$210.00	\$280.00
23 x 23	\$250.00	\$250.00	\$320.00


Pipe Portals & Pipe Shack



Features:

- 12 x 12 x 12"H & 18"H OD Curb – priced separately. (Rochester)
- 12 x 12 x 20"H OD Curb – priced separately. (Buffalo)
- Plastic Cap, 1 or 4 Pipe Silicone Rubber Boot, Stainless Steel Clamp assembly – priced separately.
- **Pipe Shack** – Side entry 5 port pipes range from 5/8" to 2-7/8"

Size	List Price
1 Pipe Cap Assembly	\$210.00
4 Pipe Cap Assembly	\$210.00
12 x 12 x 12"H Curb	\$155.00
12 x 12 x 18"H Curb	\$170.00
12 X 12 X 24"H Curb	\$200.00
Pipe Shack - 20 x 20 x 20"H Curb with shack & 5 port cover	\$1100.00



Rails



Features:


- All welded steel support
- 18ga galvanized steel construction
- 12" high & 18"H (Rochester)
- 24" high & 18"H (Buffalo)
- 2" Flashing Strip
- Factory Installed Wood Nailer

Length	12"H List	18"H List	Length	24"H List
			2 Feet	\$240.00
3 Feet	\$230.00	\$330.00	4 Feet	\$400.00
5 Feet	\$300.00	\$460.00	6 Feet	\$620.00

Wall & Roof Caps


****Only available in the Syracuse warehouse****

Wall Caps




639

- Steel baked black enamel finish
- Spring-loaded backdraft damper and built-in alum bird screen
- For 3 1/2" x 10" duct



641

- Aluminum – natural finish
- Built-in backdraft damper
- For 6" round duct




643

- Aluminum – natural finish
- Built-in backdraft damper
- For 8" round duct


Item	List Price
639	\$73.00
641	\$105.00
643	\$180.00

Roof Caps



634

- Steel black electrically bonded epoxy finish
- Built-in backdraft damper & birdscreen
- For 10-2/4" x 10 3/4" or up to 10" round



636

- Steel black electrically bonded epoxy finish
- Built-in backdraft damper & birdscreen
- For 3" or 4" round duct

Item	List Price
634	\$80.00
636	\$46.00

Dampers & Actuators

VFD10A Fire

Features:

- Can be mounted vertically or horizontally
- 1-1/2 hour rated
- Duct size – ¼"
- 4 ½" deep

Size W x H	List Price	Size W x H	List Price
8 x 8	\$49.00	16 x 8	\$63.00
10 x 8	\$49.00	16 x 10	\$74.00
10 x 10	\$54.00	16 x 12	\$74.00
12 x 8	\$52.00	16 x 16	\$82.00
12 x 10	\$52.00	18 x 10	\$82.00
12 x 12	\$58.00	18 x 12	\$82.00
14 x 8	\$63.00	18 x 18	\$98.00
14 x 12	\$74.00	20 x 8	\$74.00
14 x 14	\$82.00	20 x 12	\$82.00

VFD10C Fire



Features:

- Square damper with round transition
- Can be mounted vertically or horizontally
- 1-1/2 hour rated
- Loose links available if needed

Size	List Price
6"	\$110.00
8"	\$110.00
10"	\$120.00
12"	\$130.00

Fusible Links	List Price
165°	\$15.00
210°	\$20.00



1020 Control



Features:

- 16ga galvanized steel construction
- Blade & jamb seals
- Located in Syracuse Warehouse

Size W x H	List Price	Size W x H	List Price
12 x 12	\$210.00	24 x 12	\$248.00
16 x 16	\$260.00	24 x 16	\$287.00
20 x 20	\$334.00	24 x 24	\$400.00
24 x 10	\$248.00	36 x 24	\$455.00

1370 Backdraft



Features:

- Blades are roll formed aluminum alloy
- Polyurethane blade seals reduce backflow & noise
- Located in Syracuse Warehouse

Size	List Price
12 x 12	\$150.00
16 x 16	\$180.00
24 x 24	\$272.00

Belimo




Model	Type	Mounting	Max Sq Ft	Voltage	List Price
LF24	Electric	External/Internal	5-7	24V	\$400.00
LF120	Electric	External/Internal	5-7	120V	\$440.00
NF24	Electric	External/Internal	13-15	24V	\$490.00
NF120	Electric	External/Internal	13-15	120V	\$485.00
½" SHAFT QUAD	Manual				\$21.00

Louvers & Brick Vents



1604D



Features:

- 4" Deep Louver
- Material: Extruded Aluminum
- 45° Drainable Stationary Blade
- ½" Mesh Aluminum Birdscreen

Size	List Price
12 x 12	\$200.00
16 x 16	\$245.00
24 x 12	\$240.00
24 x 24	\$330.00
36 x 24	\$430.00



168EX



Features:

- Brick Vent
- Material: Extruded Aluminum
- ½" Mesh Aluminum Birdscreen

Size	List Price
16½ x 7½	\$240.00

Access Doors

Cam



Features:

- Door Panel – 24ga Galvanized Steel
- Frame – 22ga Galvanized Steel
- Insulation – 1" Fiberglass

Size	List Price
8 x 8	\$40.00
10 x 10	\$44.00
12 x 12	\$49.00
14 x 14	\$58.00
16 x 16	\$72.00
18 x 18	\$82.00
24 x 24	\$115.00

Vibration Isolators

***Located in Syracuse Warehouse**



**Model FS-SA
Spring Mount**



**Model SHRB
Spring Hangers**



**Model SH-SN
Spring Flex Hangers**

Floor Mounted, Spring Type FS-SA				Hangers, Spring Type SHRB				Hangers, Spring Type SH-SN			
Type	Height	Max Load lbs.	List Price	Type	Height	Max Load lbs.	List Price	Type	Height	Max Load lbs.	List Price
FS-SA-45	4 ½"	50	\$80.00	SHRB-2N-50	8"	50	\$137.00	SH-SN-15	4 ½"	23	\$31.00
FS-SA-75	4 ½"	80	\$80.00	SHRB-2N-100	8"	80	\$137.00	SH-SN-45	4 ½"	40	\$31.00
FS-SA-115	4 ½"	130	\$80.00	SHRB-2N-200	8"	130	\$137.00	SH-SN-60	4 ½"	65	\$31.00
FS-SA-200	4 ½"	210	\$80.00	SHRB-2N-200	8"	210	\$137.00	SH-SN-100	4 ½"	90	\$31.00
FS-SA-260	4 ½"	300	\$80.00	SHRB-2N-300	8"	300	\$137.00	SH-SN-150	4 ½"	185	\$31.00
FS-SA-300	4 ½"	370	\$80.00	SHRB-2N-400	8"	370	\$137.00	SH-1N-200	4 ½"	210	\$87.00
								SH-1N-300	4 ½"	300	\$87.00
								SH-1N-300	4 ½"	370	\$87.00

Vibration Isolators

***Located in Syracuse Warehouse**



Model NH
Rubber-In-Shear Hangers



Model RD
Rubber-In-Shear Mounts

Hangers, Rubber-In-Shear Type NH				Floor Mounted, Rubber-In-Shear Type RD			
Type	Height	Max Load lbs.	List Price	Type	Height	Max Load lbs.	List Price
NH-1-30	3"	30	\$21.00	RD-1-Blue	1 ¼"	30	\$32.00
NH-1-60	3"	40	\$21.00	RD-1-Black	1 ¼"	40	\$32.00
NH-1-100	3"	70	\$21.00	RD-1-Red	1 ¼"	70	\$32.00
NH-1-150	3"	120	\$21.00	RD-1-Green	1 ¼"	115	\$32.00

Shear Flex Pads

NH-1-300	4"	235	\$45.00	RD-2-Black	1 ¾"	165	\$45.00
NH-1-400	4"	375	\$45.00	RD-2-Red	1 ¾"	235	\$45.00
NH-1-700	4"	572	\$45.00	RD-2-Green	1 ¾"	375	\$45.00



Features:

- Material: Special Rubber
- Extremely High Deflection Rate
- Alternately Raised Ribs provide effective vibration isolation in both high & low load ranges
- Max Load: 60lbs
- Load Range: 15-55 psi

Size	List Price
18" x 18" x 3/8"	\$100.00



Variable Frequency Drives



Base Drives				
Voltage	HP	Model	List Price	Stock Location*
208V	2	ACH580-01-07A5-2	\$1,520	S
208V	5	ACH580-01-017A-2	\$1,860	S
208V	10	ACH580-01-031A-2	\$2,640	S
480V	3	ACH580-01-04A8-4	\$1,500	A/S/R
480V	5	ACH580-01-07A6-4	\$1,700	A/S/R
480V	7.5	ACH580-01-012A-4	\$1,900	A/S/R
480V	10	ACH580-01-014A-4	\$2,200	R
480V	15	ACH580-01-023A-4	\$2,800	A/S/R
480V	20	ACH580-01-027A-4	\$3,500	A/S/R
480V	25	ACH580-01-034A-4	\$4,400	R
480V	30	ACH580-01-044A-4	\$5,200	A
480V	40	ACH580-01-052A-4	\$6,300	A
480V	50	ACH580-01-065A-4	\$8,000	A
480V	75	ACH580-01-096A-4	\$8,600	B

ACH580 General Purpose HVAC Variable Frequency Drive. UL Type I Enclosure, Advanced Operator Keypad, 5% Input Swing Choke (Reactor), EMI/RFI Filter, and embedded N2, FLN, Modbus & BACnet included as standard.

*Location **A: Albany** **B: Buffalo** **S: Syracuse** **R: Rochester**
 22 Computer Dr West 3242 Union Rd 6412 Baird Avenue 889 Atlantic Avenue

Factory Authorized Start-up Not Included**

Warranty (w/o Factory Authorized Start-up): 1 year Factory Warranty includes parts only

****Start Up:** For an additional cost we can provide factory certified start up. Certified start up includes 2 year parts and labor warranty. Please contact your R.F. Peck representative for details



Variable Frequency Drives



Drives with Bypass, Circuit Breaker and Service Switch				
Voltage	HP	Model	List Price	Stock Location*
480V	3	ACH580-VCR-04A8-4+F267	\$3,400	A/S/R
480V	5	ACH580-VCR-07A6-4+F267	\$3,635	R
480V	7.5	ACH580-VCR-012A-4+F267	\$3,800	A/S/R
480V	10	ACH580-VCR-014A-4+F267	\$4,075	R
480V	15	ACH580-VCR-023A-4+F267	\$4,740	A/S/R
480V	20	ACH580-VCR-027A-4+F267	\$5,640	A/S/R
480V	25	ACH580-VCR-034A-4+F267	\$6,640	R
480V	30	ACH580-VCR-044A-4+F267	\$7,040	B
480V	40	ACH580-VCR-052A-4+F267	\$8,080	B
480V	50	ACH580-VCR-065A-4+F267	\$10,240	B
480V	75	ACH580-BCR-096A-4+F267	\$15,640	B

ACH580 UH Drive with E-Clipse Bypass, UL Type I Enclosure, Main Circuit Breaker, Operator Advanced Bypass Keypad, Output & Bypass Contractors, Drive Input Service Switch, Pass Through Bypass I/O including N2, FLN, Modbus & BACnet included as standard



Drives with Circuit Breaker				
Voltage	HP	Model	List Price	Stock Location*
480V	3	ACH580-PCR-04A8-4	\$2,520	B
480V	5	ACH580-PCR-07A6-4	\$2,740	B
480V	7.5	ACH580-PCR-012A-4	\$2,880	B
480V	10	ACH580-PCR-014A-4	\$3,160	B
480V	15	ACH580-PCR-023A-4	\$3,780	B
480V	20	ACH580-PCR-027A-4	\$4,540	B
480V	25	ACH580-PCR-034A-4	\$5,480	B

ACH580 Drive with UL Type I Enclosure, Main Circuit Breaker, Operator Advanced Bypass Keypad, including N2, FLN, Modbus & BACnet included as standard

*Location A: Albany B: Buffalo S: Syracuse R: Rochester
 22 Computer Dr West 3242 Union Rd 6412 Baird Avenue 889 Atlantic Avenue

Factory Authorized Start-up Not Included**

Warranty (w/o Factory Authorized Start-up): 1 year Factory Warranty includes parts only

****Start Up:** For an additional cost we can provide factory certified start up. Certified start up includes 2 year parts and labor warranty. Please contact your R.F. Peck representative for details. 19



Variable Frequency Drive Parts

*Located in Rochester Warehouse



Contactors		
Contactor Voltage: 600V Coil Voltage: 120V		
Part #	Description	List Price
3AXD50000017471	AX09 – 22 amps	\$220
3AXD50000017472	AX12 – 25 amps	\$265
3AXD50000017473	AX25 – 32 amps	\$265
3AXD50000017474	AX32 – 55 amps	\$310
3AXD50000017475	AX40 – 80 amps	\$310
3AXD50000050428	AX50 – 100 amps	\$360
3AXD50000017477	AX80 – 125 amps	\$595
Fuses		
Part #	Description	List Price
3AU0000015604	15 amps/600V	\$85
3AU0000015605	30 amps/600V	\$88
3AU0000147985	40 amps/600V	\$115
3AU0000015606	60 amps/600V	\$115
3AU0000147987	80 amps/600V	\$140
Cooling Fans		
Part #	Description	List Price
3AXD50000043518	ACH580 R1 Frame	\$120
3AXD50000043519	ACH580 R2 Frame	\$142
3AXD50000030156	ACH580 R3 Frame	\$240
3AXD50000014832	ACH580 R4 Frame	\$240



Horizontal Water Source Heat Pumps



- Tonnage Range from 1 Ton to 3 Ton with varying voltages and arrangements
- CXM2 Communicating Controls for reduced startup, commissioning, and service time
- Sound-absorbing glass-fiber insulation
- Unique double-isolation compressor mounting for quiet operation
- Field-convertible discharge-air arrangement for horizontal units
- PSC three-speed fan motor
- Eight Standard Safety Features
- Non-corrosive polymer drain pan
- Standard Filter Rail
- **Located in Rochester Warehouse**

Model SC			
Ton	Voltage/Phase	Model	List Price
1	208V/1	SCL012AGC30COPS	\$3,800
1	265V/1	SCL012AEC30COPS	\$3,820
1.5	208V/1	SCL018AGC30COPS	\$4,415
1.5	265V/1	SCL018AEC30COPS	\$4,430
2	230V/1	SCL024AGC30COPS	\$4,600
2	208V-230V/3	SCL024AHC30COPS	\$4,760
2	265V/1	SCL024AEC30COPS	\$4,695
2	460V/3	SCL024AFC30COPS	\$4,780
2.5	230V/1	SCL030AGC30COPS	\$4,700
2.5	208V-230V/3	SCL030AHC30COPS	\$4,920
2.5	265V/1	SCL030AEC30COPS	\$4,860
2.5	460V/3	SCL030AFC30COPS	\$4,960
3	230V/1	SCL036AGC30COPS	\$4,940
3	208V-230/3	SCL036AHC30COPS	\$5,060
3	265V/1	SCL036AEC30COPS	\$5,030
3	460V/3	SCL036AFC30COPS	\$5,090